




- Connect directly to the LonWorks network
- Allows status reporting and direct control of relays
- Able to send commands to force timer options
- Allows status of the LightMaster hardwired inputs
- Able to send commands to enable/disable hardwired inputs



Overview

The LightMaster LonWorks interface add-on module can easily be added to any LightMaster programmable lighting control panel to provide integration with your LonWorks control system, allowing the panel to become a slave node on the LonWorks network. This will give the system status and control of relays and hardwired inputs.

Features

Configuration

- Factory set configuration
- Fully configurable via downloadable file
- Adjustable device node ID
- Connect via RJ45 ethernet connection
- No configuration necessary in LightMaster panel


Control and Status

- Force relays ON or OFF
- Force relays ON or OFF with timer options
- Monitor hardwired ON or OFF inputs for closures
- Enable or disable hardwired inputs



INTELLIGENT LIGHTING CONTROLS, INC.

5229 Edina Industrial Boulevard
Minneapolis, Minnesota 55439
Phone 952 829 1900
FAX 952 829 1901
1-800-922-8004
www.ilc-usa.com



Specifications

Physical:

- 2.25"W x 4.25"H x 1.25"D
- Plug-in module designed for mounting directly to LightMaster main board

Electrical:

- Power consumption: 252mA @ 5VDC
- Power provided by external wall mount transformer

Certifications:

- Full protocol compliance
- UL
- FCC Approved for commercial use

Operating Environment:

- Location Interior space
- Operating Temperature 0° to 50° C (32° to 112° F)
- Relative Humidity 10% to 90% Non-condensing

INTELLIGENT LIGHTING
CONTROLS, INC.

5229 Edina Industrial Boulevard
Minneapolis, Minnesota 55439
Phone 952 829 1900
FAX 952 829 1901
1-800-922-8004
www.ilc-usa.com

How to Order

Ordering a **LightMaster LonWorks Add-on Module**

Order No. LMSI-LON (sample)

LMSI-LON